



THE UNIVERSITY OF
MELBOURNE





433-380 Graphics and Computation

Introduction to OpenGL


Some images in these slides are taken from "The OpenGL® Programming Manual", which is copyright Addison Wesley and the OpenGL Architecture Review Board. <http://www.opengl.org/resources/book.php>



THE UNIVERSITY OF
MELBOURNE

Outline

- OpenGL Background and History
- Other Graphics Technology
- Drawing
- Viewing and Transformation
- Lighting
- GLUT
- Resources



2



THE UNIVERSITY OF
MELBOURNE

OpenGL Background and History


- OpenGL = Open Graphics Library
- Developed at Silicon Graphics (SGI)
- Successor to IrisGL
- Cross Platform (Win32, Mac OS X, Unix, Linux)
- Only does 3D Graphics. No Platform Specifics (Windowing, Fonts, Input, GUI)
- Version 1.4 widely available
- Two Libraries
 - GL (Graphics Library)
 - GLU (Graphics Library Utilities)




THE UNIVERSITY OF
MELBOURNE

Other Graphics Technology

- Low Level Graphics
- OpenGL
- Scene Graphs, BSPs
 - OpenSceneGraph, Java3D, VRML, PLIB
- DirectX (Direct3D)
- Can mix some DirectX with OpenGL (e.g. OpenGL and DirectInput in Quake III)



4



THE UNIVERSITY OF
MELBOURNE

Platform Specifics

- Platform Specific OpenGL Interfaces
 - Windows (WGL)
 - X11 (GLX)
 - Motif (GLwMwidget)
 - Mac OS X (CGL/AGL/NSOpenGL)
- Cross Platform OpenGL Interface
 - Qt (QGLWidget, QGLContext)
 - Java (JOGL)
 - GLUT (GL Utility Library)

5



THE UNIVERSITY OF
MELBOURNE

The Drawing Process

```
ClearTheScreen();
DrawTheScene();
CompleteDrawing();
SwapBuffers();
```

- In animation there are usually two buffers. Drawing usually occurs on the background buffer. When it is complete, it is brought to the front (swapped). This gives a smooth animation without the viewer seeing the actual drawing taking place. Only the final image is viewed.
- The technique to swap the buffers will depend on which windowing library you are using with OpenGL.

6



Clearing the Window

```
glClearColor(0.0, 0.0, 0.0, 0.0);
glClear(GL_COLOR_BUFFER_BIT);

• Typically you will clear the colour and depth buffers.

glClearColor(0.0, 0.0, 0.0, 0.0);
glClearDepth(0.0);
glClear(GL_COLOR_BUFFER_BIT | GL_DEPTH_BUFFER_BIT);
```

7



Setting the Colour

- Colour is specified in (R,G,B,A) form [Red, Green, Blue, Alpha], with each value being in the range of 0.0 to 1.0.
- There are many variants of the glColor command

```
glColor4f(red, green, blue, alpha);
glColor3f(red, green, blue);
```

```
glColor3f(0.0, 0.0, 0.0); /* Black */
glColor3f(1.0, 0.0, 0.0); /* Red */
glColor3f(0.0, 1.0, 0.0); /* Green */
glColor3f(1.0, 1.0, 0.0); /* Yellow */
glColor3f(1.0, 0.0, 1.0); /* Magenta */
glColor3f(1.0, 1.0, 1.0); /* White */
```

8



Complete Drawing the Scene


- Need to tell OpenGL you have finished drawing your scene.
- ```
glFinish();
```
- or
- ```
glFlush();
```
- For more information see Chapter of the Red Book:
<http://fly.cc.fer.hr/~unreal/theredbook/chapter02.html>
 or
<http://www.gamedev.net/download/redbook.pdf>

9



Drawing in OpenGL

- Use glBegin() to start drawing, and glEnd() to stop.
- glBegin() can draw in many different styles (see figure)
- glVertex3f(x,y,z) specifies a point in 3D space.



Mixing Geometry with Colour

- Specifying vertices can be mixed with colour and other types of commands for interesting drawing results.


```
glBegin(GL_POLYGON);
	glColor3f(1.0, 0.0, 0.0);
	glVertex3f(0.0, 0.0, 0.0);
	glColor3f(0.0, 1.0, 0.0)
	glVertex3f(3.0, 1.0, 0.0);
	glColor3f(0.0, 0.0, 1.0);
	glVertex3f(3.0, 0.0, 0.0);
	glEnd();
```

Click on the arguments and move the mouse to modify values.

11



Viewing the Scene: The Camera



12



OpenGL Vertices

$$v = \begin{pmatrix} x \\ y \\ z \\ w \end{pmatrix}$$


- OpenGL uses a 4 component vector to represent a vertex.
- Known as a homogenous coordinate system
- $z = 0$ in 2D space
- $w = 1$ usually

• For further information on homogenous coordinate systems as used in projective geometry and in OpenGL, see Appendix G of the Red Book <http://fly.cc.fer.hr/~unreal/theredbook/appendixg.html>

13



Vertex Transformation



$$\mathbf{M} = \begin{bmatrix} m_1 & m_2 & m_3 & m_4 \\ m_5 & m_6 & m_7 & m_8 \\ m_9 & m_{10} & m_{11} & m_{12} \\ m_{13} & m_{14} & m_{15} & m_{16} \end{bmatrix}$$

$$v' = \mathbf{M}v$$

14



The ModelView Matrix

- `glMatrixMode(GL_MODELVIEW);`
- Specifying the ModelView matrix is analogous to
 - Positioning and aiming the camera (viewing transformation)
 - Positioning and orienting the model (modeling transformation)

15



The Projection Matrix

- `glMatrixMode(GL_PROJECTION);`
- Specifying the Projection matrix is like choosing a lens for a camera.
- It lets you specify field of view and other parameters.

16



OpenGL Matrix Operations

- `glMatrixMode(mode);`
- `glLoadIdentity();`
- `glMultMatrix();`
- `glLoadMatrix();`


Identity Matrix

$$I = \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix}$$

17



Perspective Projection (`glFrustum`)




`glFrustum(left, right, bottom, top, near, far);`

18



Perspective Projection (gluPerspective) from GLU




```
gluPerspective(fovy, aspect, near, far);
```

fovy = field of view angle in degrees, in the y direction.
aspect = aspect ratio that determines the field of view in the x direction (ratio of width to height).

19



Orthographic (Parallel) Projection (glOrtho)



```
glOrtho(left, right, bottom, top, near, far);
```

20



gluLookAt

Specifies the camera position, the point where the camera is pointing, and the orientation vector of the camera.

```
gluLookAt(eyex, eyey, eyez,
          centerx, centery, centerz,
          upx, upy, upz);
```




```
fovy aspect zNear zFar
gluPerspective( 60.0, 1.0, 1.0, 10.0 );
gluLookAt( 0.0, 0.0, 2.0 ); <- eye
        0.0, 0.0, 0.0; <- center
        0.0, 1.0, 0.0 ); <- up
```

Click on the arguments and move the mouse to modify values.

21



Translation Transformation




$$T = \begin{bmatrix} 1 & 0 & 0 & x \\ 0 & 1 & 0 & y \\ 0 & 0 & 1 & z \\ 0 & 0 & 0 & 1 \end{bmatrix} \text{ and } T^{-1} = \begin{bmatrix} 1 & 0 & 0 & -x \\ 0 & 1 & 0 & -y \\ 0 & 0 & 1 & -z \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

```
glTranslatef(x,y,z);
```

22



Rotation Transformations



```
glRotatef(a, 1, 0, 0);
          [ 1 0 0 0
            0 cos a -sin a 0
            0 sin a cos a 0
            0 0 0 1 ]
```

```
glRotatef(a, 0, 1, 0);
          [ cos a 0 sin a 0
            0 1 0 0
            -sin a 0 cos a 0
            0 0 0 1 ]
```


```
glRotatef(angle, x, y, z);
```

Specifies an angle and an axis (x,y,z) to rotate around.

23



Scaling Transformations



$$S = \begin{bmatrix} x & 0 & 0 & 0 \\ 0 & y & 0 & 0 \\ 0 & 0 & z & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix} \text{ and } S^{-1} = \begin{bmatrix} \frac{1}{x} & 0 & 0 & 0 \\ 0 & \frac{1}{y} & 0 & 0 \\ 0 & 0 & \frac{1}{z} & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

```
glScale(x, y, z);
```

24




Order of Transformations



25



Transformations in Action




26



The Matrix Stack

- `glPushMatrix()` and `glPopMatrix()`

```
glPushMatrix();
glTranslatef(10,10,0);
DrawRedTriangle();
glPushMatrix();
glTranslatef(20,10,0);
DrawBlueTriangle();
glPopMatrix();
glPopMatrix();
DrawGreenTriangle();
```



27



OpenGL Lighting

- Eight available lights (individually toggled)
- Lighting types
 - Emitted
 - Ambient
 - Diffuse
 - Specular
- Material Colours and Properties
- Lighting Demo

28



Setting up an OpenGL Light

```
GLfloat lightAmbient[] = { 0.4, 0.5, 0.0, 1.0 };
GLfloat lightDiffuse[] = { 1.0, 1.0, 1.0, 1.0 };
GLfloat lightSpecular[] = { 1.0, 1.0, 1.0, 1.0 };
GLfloat lightPosition[] = { 1.0, 1.0, 1.0, 0.0 };

glLightfv(GL_LIGHT0, GL_AMBIENT, lightAmbient);
glLightfv(GL_LIGHT0, GL_DIFFUSE, lightDiffuse);
glLightfv(GL_LIGHT0, GL_SPECULAR, lightSpecular);
glLightfv(GL_LIGHT0, GL_POSITION, lightPosition);

 glEnable(GL_LIGHT0);
 glEnable(GL_LIGHTING);
```

29



`glLight{if}[v](light, pname, param)`

Parameter Name	Default Value	Meaning
GL_AMBIENT	(0.0, 0.0, 0.0, 1.0)	ambient RGBA intensity of light
GL_DIFFUSE	(1.0, 1.0, 1.0, 1.0)	diffuse RGBA intensity of light
GL_SPECULAR	(1.0, 1.0, 1.0, 1.0)	specular RGBA intensity of light
GL_POSITION	(0.0, 0.0, 1.0, 0.0)	(x, y, z, w) position of light
GL_SPOT_DIRECTION	(0.0, 0.0, -1.0)	(x, y, z) direction of spotlight
GL_SPOT_EXPONENT	0.0	spotlight exponent
GL_SPOT_CUTOFF	180.0	spotlight cutoff angle
GL_CONSTANT_ATTENUATION	1.0	constant attenuation factor
GL_LINEAR_ATTENUATION	0.0	linear attenuation factor
GL_QUADRATIC_ATTENUATION	0.0	quadratic attenuation factor

Table 6-1 : Default Values for pname Parameter of glLight*

30



Material Properties

- `glMaterial{if}[v](GLenum face
GLenum pname,
TYPE param);`

```
GLfloat material[] = { 0.1, 0.5, 0.8, 1.0 };
glMaterialfv(GL_FRONT_AND_BACK, GL_AMBIENT_AND_DIFFUSE,
              material);

GLfloat matSpecular[] = { 1.0, 1.0, 1.0, 1.0 };
GLfloat lowShininess[] = { 5.0 };
glMaterialfv(GL_FRONT, GL_SPECULAR, matSpecular);
glMaterialfv(GL_FRONT, GL_SHININESS, lowShininess);
```

31



gIMaterial Default Parameters

Parameter Name	Default Value	Meaning
GL_AMBIENT	(0.2, 0.2, 0.2, 1.0)	ambient color of material
GL_DIFFUSE	(0.8, 0.8, 0.8, 1.0)	diffuse color of material
GL_AMBIENT_AND_DIFFUSE		ambient and diffuse color of material
GL_SPECULAR	(0.0, 0.0, 0.0, 1.0)	specular color of material
GL_SHININESS	0.0	specular exponent
GL_EMISSION	(0.0, 0.0, 0.0, 1.0)	emissive color of material
GL_COLOR_INDEXES	(0,1,1)	ambient, diffuse, and specular color indices

Table 6-2 : Default Values for pname Parameter of glMaterial*


32



33



Normal Vectors




```
glBegin(GL_POLYGON);
  glNormal3fv(n0);
  glVertex3fv(v0);
  glNormal3fv(n1);
  glVertex3fv(v1);
  glNormal3fv(n2);
  glVertex3fv(v2);
  glNormal3fv(n3);
  glVertex3fv(v3);
glEnd();
```

34



Normal Vectors (2)



<http://www.codeguru.com/Cpp/G-M/opengl/article.php/c2681/>

35



Hidden Surface Removal

- In order for OpenGL to remove hidden surfaces, you need to enable depth testing for the depth buffer.

```
 glEnable(GL_DEPTH_TEST);
while (1) {
    glClear(GL_COLOR_BUFFER_BIT | GL_DEPTH_BUFFER_BIT);
    GetCurrentViewingPosition();
    DrawObjectA();
    DrawObjectB();
}
```

36



GLUT

- GLUT = GL Utility Library
- Easy, stable, simple to use library for showing OpenGL demos.
- Limited to simple windows, mouse/keyboard input, and some simple 3D shapes.
- Most OpenGL demos and code on the web use GLUT.
- Default implementation in C (bindings for many languages available: Python, Perl etc)

37



Example GLUT Program in C

```
#include <GL/gl.h>
#include <GL/glu.h>
#include <GL/glut.h>
. . .
int main(int argc, char** argv)
{
    glutInitDisplayMode(GLUT_RGB | GLUT_DEPTH | GLUT_DOUBLE);
    glutInitWindowSize(1024, 768);
    glutInitWindowPosition(0, 0);
    glutInit(argc, argv);

    glutCreateWindow("OpenGL Demo");
    glutReshapeFunc(reshape);
    glutDisplayFunc(display);
    glutIdleFunc(display);
    glutKeyboardFunc(keyboard);
    glutMouseFunc(mouse);
    glutMotionFunc(motion);
    InitGL();
    glutMainLoop();
}
```

38



Typical InitGL() Function

```
void InitGL(void)
{
    float ambientLight[] = {0.5, 0.5, 0.5, 0.0};
    float diffuseLight[] = {0.5, 0.0, 0.5, 0.0};
    float lightPosition[] = {1.0, 1.0, 1.0, 0.0};

    glClearColor(0.0, 0.0, 0.0, 0.0);
    glClearDepth(1.0);
    glDepthFunc(GL_LESS);
    glEnable(GL_DEPTH_TEST);
    glEnable(GL_COLOR_MATERIAL);
    glShadeModel(GL_SMOOTH);
    glColorMaterial(GL_FRONT_AND_BACK, GL_AMBIENT_AND_DIFFUSE);
    glEnable(GL_BLEND);

    glLightfv(GL_LIGHT0, GL_AMBIENT, ambientLight);
    glLightfv(GL_LIGHT0, GL_DIFFUSE, diffuseLight);
    glLightfv(GL_LIGHT0, GL_POSITION, lightPosition);
    glEnable(GL_NORMALIZE);
    glEnable(GL_LIGHTING);
    glEnable(GL_LIGHT0);

    glMatrixMode(GL_PROJECTION);
    glLoadIdentity();
    gluPerspective(fovy, aspect, zNear, zFar);
    glMatrixMode(GL_MODELVIEW);
}
```

39



Typical GLUT Reshape Function

```
void reshape(int width, int height)
{
    glViewport(0, 0, width, height);
    glMatrixMode(GL_PROJECTION);
    glLoadIdentity();
    gluPerspective(fovy, aspect, zNear, zFar);
}
```

40



Typical GLUT Display Function

```
void display(void)
{
    UpdateWorld();

    glClear(GL_COLOR_BUFFER_BIT | GL_DEPTH_BUFFER_BIT);

    glMatrixMode(GL_PROJECTION);
    glLoadIdentity();
    gluPerspective(fovy, aspect, zNear, zFar);

    glMatrixMode(GL_MODELVIEW);
    glLoadIdentity();
    gluLookAt(0.0, 0.0, 150.0,
              0.0, 0.0, 0.0,
              0.0, 1.0, 0.0);

    RenderScene();

    glutSwapBuffers();
}
```

41



GLUT on Unix (cmd line)

```
gcc main.c -I/usr/X11R6/include -L/usr/X11R6/lib
          -lGL -lGLU -lglut -lm
```

On Unix or Linux systems includes should be:

```
#include <GL/gl.h>
#include <GL/glu.h>
#include <GL/glut.h>
```

42



GLUT on Mac OS X (cmd line)

```
gcc main.c -F/System/Library/Frameworks -framework GLUT  
-framework OpenGL
```

Using frameworks on Mac OS X, includes should be:

```
#include <GLUT/glut.h>  
#include <OpenGL/gl.h>  
#include <OpenGL/glu.h>
```

43



OpenGL Books



44



Resources

- OpenGL Home Page: www.opengl.org
- OpenGL Tutors
<http://www.xmission.com/~nate/tutors.html>
- NeHe Tutorials: <http://nehe.gamedev.net>
- OpenGL Red Book (Programming Manual)
<http://www.goprogramming.com/red/>
- OpenGL Blue Book (Reference Manual)
<http://www.goprogramming.com/blue/>
- Using GLUT with Visual C++ Express Edition
(see [PDF File](#))

45



Project Preparation

- Read Chapters 1-6 of OpenGL Red Book
- Familiarise yourself with OpenGL Blue Book
- Play with OpenGL Tutors
- Learn about GLUT
- Do NeHe Tutorial Lessons 1-5 (with GLUT)

46